INDEX

Page

Acid preservatives, effect on cyanogenetic plants, analysis 87–88, 104
Acids, organic, casein in salts of, solubility and fractionation by means of these acids. Ralph H. McKee and Stephen P. Gould 125–143
Agaricaceae, wood-destroying, reactions on gallic and tannic acid media 689
Agrostis spp., infection by *Mastigosporium calvum* comb. nov., symptoms 291
Air, evaporating power, effect on growth of apples 112–113, 116–123
Alcohol—
ethyl, formation in growth of *Rhizopus* 893–894, 896
in dilution, effect on cyanogenetic plants, analysis 90–93, 104–105
Alfalfa—
coumarin-treated, feeding to rabbits, experiments 149, 151, 152–153
hay. *See* Hay, alfalfa; Hays, alfalfa.
root rot fungus, relation to stagonospora leaf spot disease, determinations 791–810
spoiled and treated, feeding to rabbits, experiments 150–153
stagonospora leaf spot and root rot, cultural studies 791–810
Alkalies, effect on cyanogenetic plants, analysis 88–89, 104
ALLARD, H. A.: Complete or Partial Inhibition of Flowering in Certain Plants When Days Are Too Short or Too Long 775–789
Alopecurus pratensis, infection by *Mastigosporium album* in Europe, symptoms 292
Amino—
acids, free, in discoloring cooked potatoes, study 435, 436, 439–440
nitrogen, in discoloring cooked potatoes, study 435, 436, 439–440
Ammonium—
bifluoride, feeding to grasshoppers, results 426, 427–428, 429
fluoride, feeding to grasshoppers, results 426, 427–428
Amphorophora rubi Kalt, mosaic vector, resistance in red raspberry to. Glenn A. Huber and C. D. Schwartze 623–633
ANDREWS, JOHN S.: Effect of Infestation With the Nematode *Cooperia curticei* on the Nutrition of Lambs 349–361
Aphelenchoides fragariae—
cause of strawberry dwarf 73–74
occurrence on strawberry plants in Massachusetts and North Carolina, study 74–80
two distinct strains occurring on strawberry plants in United States. J. R. Christie 73–80
Aphid resistance of red raspberry varieties, experiments 624–632
Aphids—
transmission of potato viruses, experiments 319–332
See also under hosts.
Apple fruit tissue, histology in relation to cracking. Leif Verner 813–824
Apples—
cracking and noncracking, difference in peripheral tissues 816–817
growth rate, apparatus for measuring, construction and use 110–112
Stayman Winesap—
densely shaded fruits, tissue modification 818–819
susceptibility to cracking, discussion 819–822
sunburned, spray-injured, and russeted, tissue modification 817–818
Winesap, enlargement rate and growth periodicity in relation to atmospheric conditions. C. P. Harley and M. P. Masure 109–124

Page

Armyworm, southern—
biological disposition of rotenone after ingestion. P. A. Woke 707–712
sixth-instar—
blood analysis. Frank H. Babers 697–706
hemolymph, chemical analysis 697–703
Arrowgrass, preservation for chemical analysis, studies 83–105
Arsenic—
entrance into wireworm body, discussion of method 236–237
trioxide, feeding to grasshoppers, results 426, 427–429
Arsenicals, reactions of wireworms to. Charles E. Woodworth 229–238
Ascomycetes, wood-destroying, reactions on gallic and tannic media 689
Ascorbic acid content of crown galls and contiguous tissue of tomato, determination 548
Aspergillus niger—
growth and reproduction, essentiality of gallium to. Robert A. Steinberg 569–574
trace-element requirements for growth and reproduction, deficiency tests 570–573
Atmosphere, conditions, relation to enlargement rate and periodicity of Winesap apples. C. P. Harley and M. P. Masure 109–124
Avena—
byzantina varieties, germination, tests 59–60, 62, 64, 65, 66
fatua—
feeding to livestock, experiments 477–481, 483, 501, 503–506, 511
varieties, germination tests 59–60, 62, 63, 66
germination, relation to kernel characters 66–68
growth habit, cold resistance, and maturity, relation to germination 68–69
harvested freshly, germination variability. F. A. Coffman and T. R. Stanton 57–72
kernel—
characters, relation to germination 66–68
size, relation to germination 68
kernels, primary and secondary, germination 69
moisture content, relation to germination 69–71
sativa, varieties, germination tests 59–66
species and varieties, germination tests 59–66
See also Oats.
Azotobacter—
chroöcoccum, growth—
and nitrogen fixation in liquid media 222–226
and nitrogen fixation on agar 219–222
effect of trace elements, cultural studies 462, 469–475
growth—
measurements 463
requirements 462
nitrogen-fixing ability, apparent induced loss. Charles R. Stumbo and P. L. Gainey 217–227
trace-element requirements, applicability of nutrient-solution purification to study of. Robert A. Steinberg 461–476

BABERS, FRANK H.: An Analysis of the Blood of the Sixth-Instar Southern Armyworm (*Prodenia eridania*) 697–706
Bacteria, decomposition of cyanogenetic plants, effect on hydrocyanic acid content 82
Baits—
arsenical, reaction of wireworms to, experiments 229–237
grasshopper, toxic and repellent properties of some inorganic and organic compounds and mixtures in. Charles H. Richardson and Edwin J. Seiferle 423–432

Page

Barley—
feeding to livestock, experiments.. 483, 493, 501, 511
hood and supernumerary spike development. O. T. Bonnett.. 371–377
natural selection, studies.. 189–199
varieties, mixture, natural selection in, effect. H. V. Harlan and M. L. Martini. 189–199
BARRONS, KEITH C.: A Method of Determining Root Knot Resistance in Beans and Cowpeas in the Seedling Stage.. 363–370
BARTEL, A. T., and MARTIN, J. H.: The Growth Curve of Sorghum.. 843–849
Basswood, moisture movement in wood above fiber-saturation point, experiments.. 161–185
Bean, kidney, wild, flowering inhibition, effect of length of day, experiments.. 775–776, 779–788, 784–786, 787, 788
Beans—
classification on basis of root knot resistance.. 366–368
in seedling stage, resistance to root knot, determination method. Keith C. Barrons.. 363–370
lima, classification on basis of root knot resistance.. 366–368
root knot resistance—
field observations, agreement with seedling tests.. 369
in seedling stage, determination, materials and methods.. 363–364
Beef muscles, roasted, exterior temperature, effect upon press fluid, shear force, and cooking losses. Alice M. Child and Mary J. Satorius.. 865–871
Beetles. *See* under specific kinds.
BERRY, P. A.: Laboratory Studies on *Tetrastichus xanthomelaenae* Rond. and *Tetrastichus* sp., Two Hymenopterous Egg Parasites of the Elm Leaf Beetle.. 859–863
Beta-indole-acetic acid—
effect on development of crown gall.. 35–36
injection into tomato stems, experiments.. 34–35
Black ring, virus disease of cabbage and other crucifers. C. M. Tompkins, M. W. Gardner, and H. Rex Thomas.. 929–943
Blackfly, *Simulium nigroparvum*, digestive tract, morphology. James A. Cox.. 443–448
Blacks Mountain experimental forest, timber surveys, sampling error.. 715–735
BLAISDELL, DOROTHY J., DAVIDSON, ROSS W., and CAMPBELL, A. A.: Differentiation of Wood-Decaying Fungi by Their Reactions on Gallic or Tannic Acid Medium.. 683–695
Blister rust, damage, probable, in some representative stands of young western white pine, studies. Thomas W. Childs and J. W. Kimmey.. 557–568
Blue stem disease, effect on potato tubers, microchemical studies. L. M. Hill and C. R. Orton.. 387–392
Boneset, flowering, inhibition, effect of length of day, experiments.. 775–776, 780, 786–787, 788
BONNETT, O. T.: Hood and Supernumerary Spike Development in Barley.. 371–377
Boric acid, titration.. 903–907
Boron—
determination, methods of analysis.. 901–910
in natural phosphates, and defluorinated phosphate rocks, determination and occurrence. Lewis F. Rader, Jr., and W. L. Hill.. 901–916
Bran-water baits, toxic and repellent to grasshoppers, tests.. 423–432
Brassicae, black ring, studies.. 929–942
BRIESE, REINHOLD R., and COUCH, JAMES F.: Preservation of Cyanogenetic Plants for Chemical Analysis.. 81–107
BRINK, R. A., and SMITH, WILLIAM K.: Relation of Bitterness to the Toxic Principle in Sweetclover.. 145–154
British Columbia, white pine blister rust, damage to young trees, studies.. 558–568
Broomcorn, white Italian, preservation for chemical analysis, experiments.. 83–85, 88–92
BROWN, J. G., and BUTLER, KARL D.: Inflorescence Blight of the Date Palm.. 313–318

Page

Brown-staining fungi associated with engraver beetles (*Scolytus*) in white fir, further investigations. Ernest Wright.. 759–773
BRUNSON, M. H.: Influence of Japanese Beetle Instar on the Sex and Population of the Parasite *Tiphia popilliavora*.. 379–386
Bryophyllum pinnatum, inoculation for detection of growth substance in development of crown gall, experiments.. 23, 27–32, 34
BUCKMAN, STANLEY J., and REES, LOUIS W.: Moisture Movement in Wood Above the Fiber-Saturation Point.. 161–187
BUTLER, KARL D., and BROWN, J. G.: Inflorescence Blight of the Date Palm.. 313–318
Butterfat—
carotene content, relation to color and carotene content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves.. 513–528
color, relation to color and carotene content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves.. 513–528
vitamin A activity, relation to color and carotene content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves.. 513–528
BYERS, HORACE G., GILE, PHILIP L., and LAKIN, HUBERT W., Effect of Different Soil Colloids and Whole Soils on the Toxicity of Sodium Selenate to Millet.. 1–20

Cabbage—
aphid, transmission of turnip mosaic virus.. 593–594
black ring—
disease, host range, list.. 934–939
disease, symptoms.. 930–933
of, a virus disease. C. M. Tompkins, M. W. Gardner, and H. Rex Thomas.. 929–943
virus, comparison with other crucifer viruses.. 941–942
virus, properties, studies.. 940
virus, technical description.. 940
virus, transmission.. 933–934
Chinese, mosaic virus, comparison with cabbage black ring virus.. 941–942
Calamagrostis spp., infection by *Mastigosporium calcium* comb. nov., symptoms.. 291
Calcium neutral salts, effect on carbon and nitrogen of soils. V. P. Sokoloff.. 201–216
California—
Blacks Mountain Experimental Forest, timber surveys, sampling error.. 715–735
ponderosa pine, rate of spread of surface fires in. John R. Curry and Wallace L. Fons.. 239–267
CAMPBELL, W. A., DAVIDSON, ROSS W., and BLAISDELL, DOROTHY J.: Differentiation of Wood-Decaying Fungi by Their Reactions on Gallic or Tannic Acid Medium.. 683–695
Cankers, blister rust, damage to young pine trees.. 561–568
Carbohydrate content of roots of bearing pecan trees, seasonal variations. C. L. Smith and J. G. Waugh.. 449–460
Carbohydrates, lactic acid production from, by *Rhizopus* pellicles.. 891, 895–896
Carbon—
content of soils, effect of neutral salts of sodium and calcium. V. P. Sokoloff.. 201–216
relationships in developmental stages of *Rhizopus*, studies.. 878–879
Carotene—
content of—
butterfat, determination.. 514, 522, 524–525
butterfat, relation to color and carotene content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves.. 513–528
cattle feeds, determination, analytical procedure.. 638–648
cattle feeds, determination, comparison of different methods.. 648–652
corn silage, determination.. 661–666
dairy feeds, determination.. 514–522, 524–525

Carotene—Continued. Page
content of—Continued.
market hays and corn silage. Herbert G. Wiseman, Edward A. Kane, Leo A. Shinn, and C. A. Cary 635–669
determinations in cattle feeding, practical significance 659–661
CARY, C. A., WISEMAN, HERBERT G., KANE, EDWARD A., and SHINN, LEO A.: The Carotene Content of Market Hays and Corn Silage 635–669
Casein—
acid-precipitated—
fractionation investigations 131–139, 140–141
solubility, experiments 126–131
fractionation—
and solubility in salts of certain organic acids. Ralph H. McKee and Stephen P. Gould 125–143
with sodium benzenesulphonate solutions 133–137, 140–141
with sodium cymenesulphonate solution, investigations 138, 139, 140–141
solubility in—
potassium thiocyanate solutions, determination 130, 140
salts of certain organic acids, and its fractionation by means of these acids. Ralph H. McKee and Stephen P. Gould 125–143
sodium benzenesulphonate solutions, determination 131, 139–141
solutions of recrystallized sodium cymenesulphonate, determination 129–130, 139–141
Caseins, definition 125
Catalase activity in crown galls and contiguous tissue of tomato, sugar beet, and red raspberry 548–549, 552, 553
Cattle—
feeding—
carotene determinations in, practical significance 659–661
experiments 477–512
sweetclover disease, description 145
Cauliflower mosaic virus, comparison with cabbage black ring virus 941–942
Cecil sandy clay loam, effect on toxicity of sodium selenate to millet 7–14
CHAMBERS, EVELYN, WOODRUFF, SYBIL, and KLAAS, HELEN: A Study of Protein Extract From Soybeans With Reference to Its Use in Food 737–746
Chemical elements, biological essentiality and atomic structure, correlations between. Robert A. Steinberg 851–858
Cherry, wild, preservation for chemical analysis, studies 83–105
Chicks—
energy transformations at various temperatures, efficiency 541–542
fasting katabolism, study 539–542
food—
calorigenic action at various environmental temperatures 540–541
consumption, excretion, and availability of nutrients, effect of temperature 534–536
gains in body substance, composition and energy content, determination 539
growth rate, effect of temperature, experiments 531–533
mortality, effect of temperature, experiments 531
nitrogen, carbon, and energy balance, determination 537–539
respiratory exchange, effect of temperature 536–537
White Leghorn—
growth rate, effect of environmental temperature on. C. F. Winchester and M. Kleiber 529–544
mortality, effect of environmental temperature on. C. F. Winchester and M. Kleiber 529–544
utilization of food energy, effect of environmental temperature on. C. F. Winchester and M. Kleiber 529–544

134769—39——2

Page
CHILD, ALICE M., and SATORIUS, MARY J.: Effect of Exterior Temperature Upon Press Fluid, Shear Force, and Cooking Losses of Roasted Beef and Pork Muscles 865–871
CHILDS, THOMAS W., and KIMMEY, J. W.: Studies on Probable Damage by Blister Rust in Some Representative Stands of Young Western White Pine 557–568
Chloroform mixtures, effect on cyanogenetic plants, analysis 87
Chlorosis, of gardenia, relation to soil temperature. Linus H. Jones 611–621
CHRISTENSEN, F. W., and HOPPER, T. H.: Digestible Nutrients and Metabolizable Energy in Certain Silages, Hays, and Mixed Rations 477–512
CHRISTIE, J. R.: Two Distinct Strains of the Nematode *Aphelenchoides fragariae* Occurring on Strawberry Plants in the United States 73–80
Clover—
red, plants—
moderately resistant to powdery mildew infection, study 680–681
resistant and susceptible to powdery mildew, *Erysiphe polygoni*, host-parasite relations. Oliver F. Smith 671–682
resistant to powdery mildew infection, study 677–680
susceptible to powdery mildew infection, study 675–677
Clovers, stagonospora leaf spot and root rot, cultural studies 791–810
Clutches, in Rhode Island Red pullets, time interval between. F. A. Hays 575–581
COFFMAN, F. A., and STANTON, T. R.: Variability in Germination of Freshly Harvested *Avena* 57–72
Colloids, soil, effect on toxicity of sodium selenate to millet. Philip L. Gile, Hubert W. Lakin, and Horace G. Byers 1–20
Color—
in gardenia leaves, effects of soil temperatures, experiments 611–621
of butterfat, relation to color content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves 513–528
Columbiana soils, effects on toxicity of sodium selenate to millet 4, 6, 7, 9, 12, 16, 17–18
Combustion of wood, theoretical aspects, discussion 249–250
Compounds, inorganic and organic, toxic and repellent properties in grasshopper baits. Charles H. Richardson and Edwin J. Seiferle 423–432
Concentrates, feeding to livestock, experiments 478, 483, 493, 501, 502–511
Conifers—
northern, growing in forest nurseries, soil-fertility standards. S. A. Wilde 945–952
See also Pine; *Pinus;* and under specific kinds.
Cooking roasts, beef and pork, effect of exterior temperature on 865–871
Cooperia curticei, nematode, infestation of lambs, effect on nutrition. John S. Andrews 349–361
Corn—
damage by the muskrat in central Iowa, observations. Paul L. Errington 415–421
silage—
carotene content. Herbert G. Wiseman, Edward A. Kane, Leo A. Shinn, and C. A. Cary 635–669
carotene content, determination 661–666
feeding to livestock, experiments 477–483, 486, 490–491, 497, 501–508
Cotton—
American wild, leaf and stem, anatomical studies 269–283
fiber—
improvement studies in Gila Valley, Ariz 583–587
length and maturity, relation between. R. S. Hawkins 583–587
length, calculations 45–46, 53–55

Cotton—Continued. Page
lint—
fiber lengths, measurement methods in present use 41-43
sorting by photoelectric apparatus, experiments 46-53
New World, leaf and stem, anatomical studies 269-283
Old World, leaf and stem, anatomical studies 269-283
plants, twin—
cytology. J. M. Webber 155-160
types, description 155-158
polyembryony, cytological study 155-159
seed, fibers, length measurements, photoelectric sorter for. Burt Johnson 41-56
species and related genera, leaf and stem, anatomical studies 269-283
See also *Gossypium*.
Cottonseeds, polyembryony, occurrence and study 155-159
COUCH, JAMES F., and BRIESE, REINHOLD R.: Preservation of Cyanogenetic Plants for Chemical Analysis 81-107
Coumaric acid, feeding to rabbits, experiments 150, 152
Coumarin, feeding to rabbits, experiments 151-153
Cowpeas—
classification on basis of root knot resistance 366-368
in seedling stage, resistance to root knot, determination method. Keith C. Barrows 363-370
root knot resistance—
field observations, agreement with seedling tests 369
in seedling stage, determination, materials, and methods 363-364
Cows, dairy, carotene consumption 518-522, 524-525
COX, JAMES A.: Morphology of the Digestive Tract of the Blackfly (*Simulium nigroparvum*) 443-448
Cress, hoary. See *Lepidium draba*.
Cronartium ribicola, infection of white pine, intensity, relation to degree of damage 557-568
Crops—
damage by muskrat in central Iowa, observations. Paul L. Errington 415-421
green silage, chemical composition 483-487
Crown gall—
and contiguous tissue, physiological studies. R. Nagy, A. J. Riker, and W. H. Peterson 545-555
bacteria, production of growth substance in culture, study 33
development, effect of beta-indole-acetic acid 35-36
growth substance, and development. S. B. Locke, A. J. Riker, and B. M. Duggar 21-39
See also under specific host.
Crucifer—
mosaic viruses, comparison with turnip mosaic virus from New York 598-599
viruses, comparison with cabbage black ring virus 941-942
Cruciferae, susceptibility to turnip mosaic infection, experiments 598-599
Crucifers, black ring, a virus disease. C. M. Tompkins, M. W. Gardner, and H. Rex Tompkins 929-943
CURRY, JOHN R., and FONS, WALLACE L.: Rate of Spread of Surface Fires in the Ponderosa Type of California 239-267
Cyanogenesis, factors involved, study 81-82
Cyanogenetic plants, preservation for chemical analysis. Reinhold R. Briese and James F. Couch 81-107
Cytology of twin cotton plants. J. M. Webber 155-160

Dactylis glomerata, infection by *Mastigosporium calvum* comb. nov., symptoms 290-291
Dairy ration, roughage in, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves 513-528

Page
Date palm—
inflorescence blight—
J. G. Brown and Karl D. Butler 313-318
cause 314-315
conditions affecting 316-317
symptoms 314
Khamedj, symptoms 317
See also *Phoenix dactylifera*.
DAVIDSON, ROSS W., CAMPBELL, W. A., and BLAISDELL, DOROTHY J.: Differentiation of Wood-Decaying Fungi by Their Reactions on Gallic or Tannic Acid Medium 683-695
Day length, effect on flowering in certain plants 775-789
Deschampsia caespitosa, infection by *Mastigosporium album* in Europe, symptoms 292
Digestive tract, of blackfly, *Simulium nigroparvum*, morphology. James A. Cox 443-448
Dilophospora alopecuri cultures from *Holcus lanatus*, study 293
DUGGAR, B. M., LOCKE, S. B., and RIKER, A. J.: Growth Substance and the Development of Crown Gall 21-39
DYKSTRA, T. P., and WHITTAKER, W. C.: Experiments on the Transmission of Potato Viruses by Vectors 319-334

Egg production in Rhode Island Red pullets, relation to time interval between clutches, studies 575-581
Elements, chemical, biological essentiality and atomic structure, correlations between. Robert A. Steinberg 851-858
Elm leaf beetle, two hymenopterous egg parasites, *Tetrastichus xanthomelaenae* Rond and *Tetrastichus* sp., laboratory studies. P. A. Berry 859-863
Energy—
metabolism of—
chicks, effect of temperature 537-539
lambs infested with *Cooperia curticei* 357-358, 359, 360
metabolizable—
in certain silages, hays, and mixed rations. F. W. Christensen and T. H. Hopper 477-512
in feeds and rations, determination 507-511
of chicks, efficiency of transformation at various temperatures 541-542
Engraver beetles, in white fir, association with brown-staining fungi, further investigations. Ernest Wright 759-773
ERRINGTON, PAUL L.: Observations on Muskrat Damage to Corn and Other Crops in Central Iowa 415-421
Erysiphe polygoni—
infection of susceptible red clover plants 675-677
powdery mildew, host-parasite relations in resistant and susceptible red clover plants 671-682
spore germination and early stages of infection of red clover 673-675
Eupatorium torreyanum, flowering inhibition, effect of length of day, experiments 775-776, 780, 786-787, 788

Feed—
constituents in mixed rations, digestibility coefficients 500-507
livestock, chemical composition 483-487
Feeds—
cattle, carotene content—
determination, analytical procedure 638-648
determination, comparison of different methods 648-652
experiments 635-667
dairy cattle, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat 513-526
livestock—
digestible nutrients and metabolizable energy 477-512
metabolizable energy, determination 507-511
See also Rations; and under specific kinds.
Fertility, soil, standards for growing northern conifers in forest nurseries. S. A. Wilde 945-952

Page

Fertilizer treatment, of potato, relation to foliar diagnosis. Walter Thomas and Warren B. Mack ... 397–414
Feterita, Spur, preservation for chemical analysis, experiments ... 83–87, 90–92, 95, 103
Filtrate factor in certain milk products, assays. T. H. Jukes and G. A. Richardson ... 603–610
Fir, white, brown-staining fungi associated with engraver beetles (*Scolytus*) in, further investigations. Ernest Wright ... 759–773
Fires, surface, rate of spread in ponderosa pine type of California. John R. Curry and Wallace L. Fons ... 239–267
Flowering, in certain plants, complete or partial inhibition, when days are too short or too long. H. A. Allard ... 775–789
Foliar diagnosis—
  definition ... 397
  of potato, in relation to development and fertilizer treatment. Walter Thomas and Warren B. Mack ... 397–414
Fons, Wallace L., and Curry, John R.: Rate of Spread of Surface Fires in the Ponderosa Pine Type of California ... 239–267
Forage—
  legumes, root rot of, relation to stagonospora leaf spot. Fred Reuel Jones and J. L. Weimer ... 971–812
  plants, cyanogenetic, preservation for chemical analysis, experiments ... 81–105
Forest—
  fires, rate of spread in ponderosa pine type of California, study ... 239–266
  nurseries—
    growing northern conifers in, soil-fertility standards. S. A. Wilde ... 945–952
    soil conditions, adjustments, general directions ... 948–951
    soil improvement principles ... 948
Foster, J. W., and Waksman, Selman A.: Respiration and Lactic Acid Production by a Fungus of the Genus *Rhizopus* ... 873–899
Fungi—
  brown-staining associated with engraver beetles (*Scolytus*) in white fir, further investigations. Ernest Wright ... 759–773
  wood-decaying, differentiation by their reactions on gallic or tannic acid medium. Ross W. Davidson, W. A. Campbell, and Dorothy J. Blaisdell ... 683–695
Fungus of genus *Rhizopus*, respiration and lactic acid production. Selman A. Waksman and J. W. Foster ... 873–899
Fusarium—
  moniliforme, inoculation of *Phoenix dactylifera* with, studies ... 315–316, 317–318
  spp., cause of inflorescence blight of date palms ... 314–316, 317

Gainey, P. L., and Stumbo, Charles R.: An Apparent Induced Loss of Nitrogen-Fixing Ability in *Azotobacter* ... 217–227
Gallic acid medium, reactions of wood-decaying fungi on, differentiation. Ross W. Davidson, W. A. Campbell, and Dorothy J. Blaisdell ... 683–695
Gallium, essentiality to growth and reproduction of *Aspergillus niger*. Robert A. Steinberg ... 569–574
Galls, crown, growth substances from, effect upon tomato tissues inoculated with attenuated strain ... 34
Gardenia—
  chlorosis, relation to soil temperature. Linus H. Jones ... 611–621
  leaf, chlorotic, effect of soil temperature on size, experiments ... 615–616
  leaves, color, effects of soil temperatures, experiments ... 611–621
  plant, effect of soil temperature, experiments ... 614
  plants, chlorotic, chemical analysis of leaves and twigs ... 614–615
Gardner, M. W., Tompkins, C. M., and Thomas, H. Rex.: Black Ring, a Virus Disease of Cabbage and Other Crucifers ... 929–943

Page

Germination, variability in *Avena* when freshly harvested. F. A. Coffman and T. R. Stanton ... 57–72
Gile, Philip L., Lakin, Hubert W., and Byers, Horace G.: Effect of Different Soil Colloids and Whole Soils on the Toxicity of Sodium Selenate to Millet ... 1–20
Glutathione content of crown galls and contiguous tissue of tomato, determination ... 548
Gossypium—
  barbadense, haploid-diploid twins, cytology ... 157–159
  hirsutum, diploid twins, cytology ... 156, 159
  leaf—
    anatomy ... 270–277
    and stem, anatomy. Irma E. Webber ... 269–286
    epidermis, description ... 270–273
    hypodermis, description ... 273–274
    mesophyll, description ... 274–275
    nectaries, occurrence and description ... 275–276
    petioles, description ... 276–277
    venation, description ... 275
  nanking × *G. thurberi*, diploid twins, cytology ... 156, 158–159
  stem—
    anatomy ... 278–283
    cortex and pericycle, description ... 278–279
    epidermis and periderm, description ... 278
    phloem and xylem, description ... 279–280
    pith, description ... 280
    shape and tissue arrangement ... 278
  See also Cotton.
Gould, Stephen P., and McKee, Ralph H.: The Solubility of Casein in Salts of Certain Organic Acids, and Its Fractionation by Means of These Acids ... 125–143
Gramineae, two mastigosporium leaf spots on. Roderick Sprague ... 287–299
Grasses—
  inoculation with *Mastigosporium album* and *M. calvum* comb. nov., studies ... 293–294
  two mastigosporium leaf spots on, experiments ... 287–299
Grasshopper baits, toxic and repellent properties of some inorganic and organic compounds and mixtures in. Charles H. Richardson and Edwin J. Seiferle ... 423–432
Grasshoppers—
  feeding compounds and mixtures in bran baits, results ... 425–428
  mortality, bait consumption, and feeding time, theoretical combinations ... 425–431
Graves, R. R., Hodgson, R. E., Knott, J. C., and Murer, H. K.: The Relation of Color and Carotene Content of Roughage in the Dairy Ration to the Color, Carotene Content, and Vitamin A Activity of Butterfat ... 513–528
Ground slope, effect on rate of spread of fires in ponderosa pine stands, tests ... 257–260, 266

Hackberry wood, moisture movement above fiber-saturation point, experiments ... 161–185
Harlan, H. V., and Martini, M. L.: The Effect of Natural Selection in a Mixture of Barley Varieties ... 189–199
Harley, C. P., and Masure, M. P: Relation of Atmospheric Conditions to Enlargement Rate and Periodicity of Winesap Apples ... 109–124
Hasel, A. A.: Sampling Error in Timber Surveys ... 713–736
Hawkins, R. S.: Relation Between Fiber Length and Maturity in Cotton ... 583–587
Hay—
  alfalfa—
    coumarin treated, feeding to rabbits, experiments ... 149, 151, 152–153
    feeding to livestock, experiments ... 480, 482, 485, 491–493, 501–511
    leafy portion, vitamin D content, comparison with content of stemmy portion ... 393–395
    spoiled and treated, feeding to rabbits, experiments ... 149–151, 152–153
    stemmy and leafy portions, vitamin D potency, comparison. G. C. Wallis ... 393–396

Page

Hay—Continued.
in dairy ration, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat ... 513–526
Johnson grass, preservation for chemical analysis, experiments ... 83, 96–97, 98, 103
Sweetclover, feeding to livestock, experiments ... 477–481, 482, 491–493, 502
HAYS, F. A.: Time Interval Between Clutches in Rhode Island Red Pullets ... 575–581
Hays—
alfalfa, carotene content of various grades. 652–658
clover, carotene content of two grades, determination ... 659
digestible nutrients and metabolizable energy. F. W. Christensen and T. H. Hopper ... 477–512
market, carotene content—
Herbert G. Wiseman, Edward A. Kane, Leo A. Shinn, and C. A. Cary ... 635–669
determination ... 650–659
sweetclover, feeding to rabbits, experiments ... 146–149, 152
timothy, carotene content of various grades, determination ... 658–659
Heartwood, moisture movement above fiber-saturation point, experiments ... 161–185
Hegari—
Dwarf, growth curve ... 843–849
preservation for chemical analysis, experiments ... 83–85, 88, 90–91, 93, 95, 101, 103
Hemicellulose content of roots of pecan tree, seasonal variation ... 456, 458
Hemolymph of sixth-instar armyworm, analysis ... 697–703
Hempweed, climbing, flowering, inhibition, effect of length of day, experiments ... 775–779, 782, 784, 787, 788
Hibiscus spp., leaf and stem anatomy, investigations ... 270–283
Hickory wood, moisture movement above fiber-saturation point, experiments ... 161–185
HILL, L. M., and ORTON, C. R.: Microchemical Studies of Potato Tubers Affected With Blue Stem Disease ... 387–392
HILL, W. L., and RADER, LEWIS F., JR.: Determination and Occurrence of Boron in Natural Phosphates, Superphosphates, and Defluorinated Phosphate Rocks ... 901–916
HODGSON, R. E., KNOTT, J. C., MURER, H. K., and GRAVES, R. R.: The Relation of Color and Carotene Content of Roughage in the Dairy Ration to the Color, Carotene Content, and Vitamin A Activity of Butterfat ... 513–528
Honeydew, volume excreted by pea aphid, factors affecting ... 836–838
HOPPER, T. H., and CHRISTENSEN, F. W.: Digestible Nutrients and Metabolizable Energy in Certain Silages, Hays, and Mixed Rations ... 477–512
Horse strongyle—
eggs—
burial in soils, procedure and apparatus. 335–338
content of feces buried and percentage of development in cultures ... 338–339
depth of burial, effect on distribution and number of larvae ... 342–343
larvae—
distribution and number in feces and soil, factors affecting ... 342–343
infective, developing in feces buried in different soils, vertical migration, distribution, and survival. John T. Lucker ... 335–348
number recovered from soil, relation to number of eggs buried ... 343–344, 346–347
vertical migration, degree in various types of soil ... 339–341
Horses, parasitism by strongyles, study ... 335–347
Host-parasite relations in red clover plants resistant and susceptible to powdery mildew, *Erysiphe polygoni*. Oliver F. Smith. 671–682
HUBER, GLENN A., and SCHWARTZE, C. D.: Resistance in the Red Raspberry to the Mosaic Vector *Amphorophora rubi* Kalt ... 623–633
Hydnaceae, wood-destroying, reactions on gallic and tannic acid media ... 686–687

Page

Hydrocyanic acid—
content of plant specimens, analysis, methods ... 84
formation and preservation in plants ... 81–82
recovery from mercuric cyanide, experiments ... 102–104
Hydrogen-ion concentration in crown galls and contiguous tissue of tomato, sugar beet, and red raspberry ... 551–552

Idaho, white pine blister rust, damage to young trees, studies ... 559–568
Inflorescence blight of date palm. J. G. Brown and Karl D. Butler ... 313–318
Inheritance, in sorghums, Q B Gs group, linkage studies ... 747–755
Insect vectors of potato viruses, testing ... 322–324, 325–328, 331–332
Insects, transmission of potato virus diseases, experiments ... 322–324, 325–328, 331–332
Iodoacetic acid, influence on glycolysis by *Rhizopus* ... 891–893, 895
Iowa, central, muskrat damage to corn and other crops in, observations. Paul L. Errington ... 415–421

Japanese beetle—
abundance and instars, effect on *Tiphia popilliavora* population ... 384, 385–386
instar—
influence on sex and population of parasite *Tiphia popilliavora*. M. H. Brunson ... 379–386
relation to sex of progeny of parasitizing *Tiphia popilliavora* ... 381–383, 385
larvae—
instar preferred for oviposition by *Tiphia popilliavora* ... 381
third-instar, number, fluctuations and effect on *Tiphia* population ... 384–386
life cycle, relation to *Tiphia* oviposition 380, 381, 385
parasitized by *Tiphia popilliavora*, life cycle ... 380
JODIDI, SAMUEL L.: Preliminary Biochemical Studies on Effects of Certain Environmental Factors on Development and Composition of the Peanut ... 301–311
JOHNSON, BURT: A Photoelectric Sorter for Length Measurements of Fibers of Seed Cotton ... 41–56
Johnson grass, dried, preservation for chemical analysis, studies ... 83, 96–97, 98, 103
JONES, FRED REUEL, and WEIMER, J. L.: Stagonospora Leaf Spot and Root Rot of Forage Legumes ... 791–812
JONES, LINUS H.: Relation of Soil Temperature to Chlorosis of Gardenia ... 611–621
JUKES, T. H., and RICHARDSON, G. A.: Assays of Riboflavin and the Filtrate Factor in Certain Milk Products ... 603–610

Kalanchoe diagremontiana, inoculation for detection of growth substance in development of crown gall, experiment ... 23, 25–31
KANE, EDWARD A., WISEMAN, HERBERT G., SHINN, LEO A., and CARY, C. A.: The Carotene Content of Market Hays and Corn Silage ... 635–669
Katabolism, fasting, of chicks, determination ... 539–542
Khamedj, infection of date palms, symptoms ... 317
KIMMEY, J. W., and CHILDS, THOMAS W.: Studies on Probable Damage by Blister Rust in Some Representative Stands of Young Western White Pine ... 557–568
KLAAS, HELEN, WOODRUFF, SYBIL, and CHAMBERS, EVELYN: A Study of Protein Extract From Soybeans With Reference to Its Use in Food ... 737–746
KLEIBER, M., and WINCHESTER, C. F.: The Effect of Environmental Temperature on Mortality, Rate of Growth, and Utilization of Food Energy in White Leghorn Chicks ... 529–544

Page

KNOTT, J. C., HODGSON, R. E., MURER, H. K., and GRAVES, R. R.: The Relation of Color and Carotene Content of Roughage in the Dairy Ration to the Color, Carotene Content, and Vitamin A Activity of Butterfat ... 713–528
Kokia spp., leaf and stem anatomy, investigations ... 270–283

Lactic acid, production by a fungus of the genus *Rhizopus*. Selman A. Waksman and J. W. Foster ... 873–899
Lactoflavin, content of milk products, biological assay ... 606–608
LAKIN, HUBERT W., GILE, PHILIP L., and BYERS, HORACE G.: Effect of Different Soil Colloids and Whole Soils on the Toxicity of Sodium Selenate to Millet ... 1–20
Lambs—
infestation with *Cooperia curticei*, experiments, materials and methods ... 350–353
infested with *Cooperia curticei*—
energy metabolism ... 357–358, 359, 360
feed, apparent digestibility coefficients ... 355–356, 358
feed consumption and weights ... 355, 358
nitrogen and mineral metabolism ... 356–357
nutrition, effect of infestation with nematode *Cooperia curticei*. John S. Andrews ... 349–361
Leaf-spot, stagonospora, relation to root rot of forage legumes. Fred Reuel Jones and J. L. Weimer ... 791–812
Legumes, forage, root rot of, relation to stagonospora leaf spot. Fred Reuel Jones and J. L. Weimer ... 791–812
Lepidium draba—
adventitious shoot development and root formation ... 927
anatomical development. Austin O. Simonds ... 917–928
crown, anatomy ... 925–926
embryo, anatomy ... 919–920
leaf, anatomy ... 927–928
seedling—
external morphology ... 917–919
root-stem transition, anatomy ... 923–924
root system, anatomy ... 920–923
stem, anatomy ... 924–925
Leptosphaeria pratensis, ascigerous form of *Stagonospora meliloti* ... 808–809
Linseed meal, feeding to livestock, experiments ... 485, 493, 500–502
Livestock feeds, digestible nutrients and metabolizable energy ... 477–512
LOCKE, S. B., RIKER, A. J., and DUGGAR, B. M.: Growth Substance and the Development of Crown Gall ... 21–39
LUCKER, JOHN T.: Vertical Migration, Distribution, and Survival of Infective Horse Strongyle Larvae Developing in Feces Buried in Different Soils ... 335–348

MACK, WARREN B., and THOMAS, WALTER: Foliar Diagnosis in Relation to Development and Fertilizer Treatment of the Potato ... 397–414
MCKEE, RALPH H., and GOULD, STEPHEN P.: The Solubility of Casein in Salts of Certain Organic Acids and Its Fractionation by Means of These Acids ... 125–143
Macrosiphum solanifolii, transmission of potato viruses, experiments ... 319–323, 325–327, 328–332
Manure, rotted, of horse, treatment of potato plants, effects, foliar diagnosis ... 398–414
Maple wood, moisture movement above fiber-saturation point, experiments ... 161–185
Marshall silt loam, effect on toxicity of sodium selenate to millet ... 7–14
MARTIN, J. H., and BARTEL, A. T.: The Growth Curve of Sorghum ... 843–849
MARTINI, M. L., and HARLAN, H. V.: The Effect of Natural Selection in a Mixture of Barley Varieties ... 189–199
Massachusetts, Wareham, experiments with strawberry dwarf ... 74–77, 78–80

Page

Mastigosporium—
album—
symptoms caused by in Europe ... 291–292
taxonomy ... 295–298
var. *athrix*, relationship to *Septogloeum athrix* comb. nov ... 298
calvum comb. nov.—
distribution and ecology in western United States ... 287–290
infection of *Agrostis* spp., symptoms ... 291
infection of *Calamagrostis* spp., symptoms ... 291
infection of orchard grass, symptoms ... 290–291
morphology ... 294–295
pure-culture studies ... 292–293
synonymy ... 298
taxonomy ... 295–298
emended description ... 296
leaf spots, two on Gramineae. Roderick Sprague ... 287–299
spp., inoculation studies ... 293–294
MASURE, M. P., and HARLEY, C. P.: Relation of Atmospheric Conditions to Enlargement Rate and Periodicity of Wine-sap Apples ... 109–124
Meats, cooking, effect of exterior temperature upon ... 865–871
Medicago spp., stagonospora leaf spot and root rot fungi, cultural studies ... 791–810
Melilotic acid—
feeding to rabbits, experiments ... 150, 152
lactone, feeding to rabbits, experiments ... 150–151, 152
Melilotus—
dentata, spoiled, feeding to rabbits, experiments ... 147–148, 152–153
spp., stagonospora leaf spot and root rot fungi, cultural studies ... 791–810
Mercuric—
chloride, effect on hydrocyanic acid content of plants, experiments ... 93–101
cyanide, effect on hydrocyanic acid content of plants, experiments ... 102–104
Metabolism—
energy. *See* Energy.
lambs infested with *Cooperia curticei*, studies ... 356–358, 359, 360
mineral, of lambs infested with *Cooperia curticei* ... 356–357
nitrogen, of lambs infested with *Cooperia curticei* ... 356
trials with sheep and steers ... 479–480
See also under specific kinds.
Metals, heavy—
and rare, effect on growth and lactic acid production by *Rhizopus* ... 882–887, 896–897
See also Trace element.
Mikania scandens, flowering, inhibition, effect of length of day, experiments ... 775–779, 782–784, 787, 788
Mildew, powdery, *Erysiphe polygoni*, host-parasite relations in resistant and susceptible red clover plants. Oliver F. Smith ... 671–682
Milk products—
filtrate factor, biological assay ... 604–606
riboflavin and filtrate factor in assays. T. H. Jukes and G. A. Richardson ... 603–610
spray-dried, preparation ... 603–604
Millet—
plants, selenium content, experiments ... 14–17
toxicity of sodium selenate to, effect of different soil colloids and whole soils on. Philip L. Gile, Hubert W. Lakin, and Horace G. Byers ... 1–20
Milo, Double Dwarf Yellow, growth curve ... 843–849
Mixtures, inorganic and organic, toxic and repellent properties in grasshopper baits. Charles H. Richardson and Edwin J. Seiferle ... 423–432
Moisture—
effect on—
development of *Trichosporium symbioticum* and *Spicaria anomala*, tests ... 766–767
spread of fire in ponderosa pine stands, tests ... 241–242, 245, 248–249, 252–253, 254–256, 260–266

Moisture—Continued. Page
movement in wood above fiber-saturation point. Louis W. Rees and Stanley J. Buckman ... 161-187
Mosaic—
disease of turnip. C. M. Tompkins ... 589-602
of potato, transmission experiments ... 319-332
vector, *Amphorophora rubi* Kalt, resistance in red raspberry to. Glenn A. Huber and C. D. Schwartze ... 623-633
virus. *See* under host.
MUBER, H. K., HODGSON, R. E., KNOTT, J. C., and GRAVES, R. R.: The Relation of Color and Carotene Content of Roughage in the Dairy Ration to the Color, Carotene Content, and Vitamin A Activity of Butterfat ... 513-528
Muskrat—
damage to corn—
and other crops in central Iowa, observations. Paul L. Errington ... 415-421
evaluation of instance ... 418-421
food habits, investigation ... 415-416, 421
Muskrats—
cornfield-feeding, seasonal changes in habits ... 416-418, 420-421
foraging tendencies ... 416, 420-421
Mustard plant, tolerance to sodium selenate in quartz sand ... 17
Myzus—
circumflexus, transmission of potato viruses, experiments ... 319-323, 325-327, 328-332
persicae, transmission of—
mosaic virus ... 593-594
potato viruses, experiments ... 319-323, 325-327, 328-332
solani, transmission of potato viruses, experiments ... 319-323, 325-327, 328-332

NAGY, R., RIKER, A. J., and PETERSON, W. H.: Some Physiological Studies of Crown Gall and Contiguous Tissue ... 545-555
Nematode, *Aphelenchoides fragariae*, two distinct strains occurring on strawberry plants in United States. J. R. Christie ... 73-86
Nitrogen—
amino, in discoloring potatoes, study ... 435, 436, 439-440
content of—
potato leaf, after treatment with complete and incomplete fertilizers, study ... 402-414
roots of bearing pecan trees, seasonal variations. C. L. Smith and J. G. Waugh ... 449-460
roots of pecan tree, seasonal variation ... 456-457, 459
soils, effect of neutral salts of sodium and calcium. V. P. Sokoloff ... 201-216
fixing ability in *Azotobacter*, apparent induced loss. Charles R. Stumbo and P. L. Gainey ... 217-227
North Carolina, Willard, experiments with strawberry dwarf ... 74-76, 77-80
Nurseries, forest. *See* Forest nurseries.
Nutrient-solution purification—
applicability to study of trace-element requirements of rhizobium and azotobacter. Robert A. Steinberg ... 461-476
effect on trace-element requirements of *Aspergillus niger*, tests ... 570-573
Nutrients, digestible, in certain silages, hays, and mixed rations. F. W. Christensen and T. H. Hopper ... 477-512
Nutrition—
effect on development of *Trichosporium symbioticum* and *Spicaria anomala*, tests ... 768-769
of lambs, effect of infestation with nematode *Cooperia curticei*. John S. Andrews ... 349-361

Oak wood, moisture movement above fiber-saturation point, experiments ... 161-185
Oats—
inoculation for detection of growth substance in development of crown gall, experiments ... 23, 33, 35-36
Oats—Continued. Page
wild—
feeding to livestock, experiments ... 477-481, 483, 501, 503-506, 511
varieties, germination tests ... 59-60, 62, 63, 66
See also *Arena*.
Orchard grass, infection by *Mastigosporium album* comb. nov., symptoms ... 290-291
Organic—
acids, casein in salts of, solubility and fractionation by means of these acids. Ralph H. McKee and Stephen H. Gould ... 125-143
matter in soils, conservation, effect of neutral salts, experiments ... 201-215
ORTON, C. R., and HILL, L. M.: Microchemical Studies of Potato Tubers Affected With Blue Stem Disease ... 387-392
Oven temperatures, effect on press fluid, shear force, and cooking losses during wasting of beef and pork muscle, determination ... 865-871
Oxidase activity in crown galls and contiguous tissue of tomato, sugar beet, and red raspberry ... 549, 552, 553
Oxygen, influence on lactic acid production by *Rhizopus* ... 887-890, 895-896

Palm, date. *See* Date palm.
Parasite-host relations in red clover plants resistant and susceptible to powdery mildew, *Erysiphe polygoni*. Oliver F. Smith ... 671-682
Pea aphid—
alate—
and apterous, quantitative chemical analyses ... 832-835
progeny, maximum production and conditions inducing it ... 828-830
food source, nature of food, and structure of digestive tract ... 835-836
honeydew excreted, volume, factors affecting ... 836-838
starving, effect on winged forms of progeny ... 831-832, 838-839
wing—
appearance, association with decreased volume of honeydew and concentration of body contents ... 837-838
development, physiological conditions producing. Carl W. Schaefer ... 825-841
Peach aphid, green, transmission of mosaic virus ... 593-594
Peanut—
composition and development, effects of certain environmental factors, preliminary biochemical studies. Samuel L. Jodidi ... 301-311
kernels, chemical analyses ... 304-309
shells, chemical analyses ... 304-309
strains, growing at Holland, Va., on experimental plots, studies ... 302-303
Peanuts—
acid-hydrolyzable polysaccharides, estimation ... 308-309
ash content, analyses ... 304-305
carbohydrate content, analyses ... 308, 309
crude fiber content, determinations ... 307
ether-extraction studies ... 305-306
nitrogen and protein content, analyses ... 306-307
Pecan trees, roots, carbohydrate and nitrogen content, seasonal variations. C. L. Smith and J. G. Waugh ... 449-460
Pennsylvania Agricultural Experiment Station, potato growing for foliar diagnosis, experiments ... 397-414
Peroxidase activity in crown galls and contiguous tissue of tomato, sugar beet, and raspberry ... 549, 552, 553
PETERSON, W. H., NAGY, R., and RIKER, A. J.: Some Physiological Studies of Crown Gall and Contiguous Tissue ... 545-555
Phaseolus polystachyus, flowering, inhibition, effect of length of day, experiments ... 775-776, 779-780, 784-786, 787, 788
Phoenix dactylifera—
infected with *Fusarium moniliforme*, pathologic histology ... 316

Phoenix dactylifera—Continued. Page
inoculation with *Fusarium moniliforme*, studies 315-316
See also Date palm.
Phoma meliloti, relation to *Stagonospora meliloti* 808
Phosphate rocks, defluorinated, boron in, determination and occurrence. Lewis F. Rader, Jr., and W. L. Hill 901-916
Phosphates, natural, boron in, determination and occurrence. Lewis F. Rader, Jr., and W. L. Hill 901-916
Phosphoric acid content of potato leaf after treatment with complete and imcomplete fertilizers, study 402-414
Photoelectric sorter—
for cotton fibers, description 43-45
for length measurements of fibers of seed cotton. Burt Johnson 41-56
Phytomonas tumefaciens, cause of crown gall 21, 36, 546
Pine—
ponderosa type of California, rate of spread of surface fires. John R. Curry and Wallace L. Fons 239-267
red, wood, moisture movement above fiber saturation point, experiments 161-185
stands—
timber surveys, sampling error 715-735
variability, analysis 718-735
western white—
damage by blister rust infection, studies 558-568
infection by blister rust, relation to damage in individual trees 561-564
tree size, effect on liability to blister rust infection and damage 564-565
young, some representative stands, probable damage by blister rust in, studies. Thomas W. Childs and J. W. Kimmey 557-568
Pinus—
spp., soil-fertility standards for growing 945-951
spp. *See also* under specific name.
Plant growth substance—
and development of crown gall 21-37
effect on tissue inoculated with attenuated strain of *Phytomonas tumefaciens* 33-35
Plants—
cyanogenetic—
preservation for chemical analysis. Reinhold R. Briese and James F. Couch 81-107
specimens, preparation and preservation methods 83-84
flowering in, complete or partial inhibition of, when days are too short or too long. H. A. Allard 775-789
hydrocyanic acid formation and preservation in, studies 81-82
in storage, bacterial decomposition 82
inoculated with crown gall bacteria, responses suggesting presence of growth substance 23-32
susceptible to black ring virus, annotated list 937-939
Polyembryony in cotton, cytological study 155-159
Polyporaceae, wood-destroying, reactions on gallic and tannic media 687-689, 693-695
Pork, muscles, roasted, exterior temperature, effect upon press fluid, shear force, and cooking losses. Alice M. Child and Mary J. Satorius 865-871
Potash content of potato leaf after treatment with complete and incomplete fertilizers, study 402-414
Potassium—
chloride, treatment of potato plants, effects, foliar diagnosis 398-414
fluoride, feeding to grasshoppers, results 426, 427-428
nitrate, effect on growth and physiological alteration of *Azotobacter chroöcoccum*, experiments 217-227
thiocyanate solutions, solubility of casein in, determination 130, 140
Potato—
aphids, feeding habits, determination 324-325, 328-331

Potato—Continued. Page
development, relation to foliar diagnosis. Walter Thomas and Warren B. Mack 397-414
fertilizer treatment, relation to foliar diagnosis. Walter Thomas and Warren B. Mack 397-414
growth rate during early period, relation to final yield of tubers 400-402
leaf roll virus, transmission experiments 319-332
mosaic, transmission experiments 319-332
plants treated with standard and incomplete fertilizers—
appearance of leaves 399
composition of leaves 402-406
development 400-402
development, relation to foliar diagnosis 409-413
tops, development when treated with standard and incomplete fertilizers 400-402
tuber—
membranes, microchemical tests for blue stem disease 387-388
mineral content, microchemical tests for blue stem disease 390-391
storage substances, microchemical tests for blue stem disease 388-389
tissue, autolysis, investigation 434, 438, 439
tubers—
affected with blue stem disease, microchemical studies. L. M. Hill and C. R. Orton 387-392
development when treated with standard and incomplete fertilizers 400-402
viruses, transmission by—
aphids, tests 322-324, 325-327, 331-332
miscellaneous insects, tests 323-324, 327-328, 331-332
vectors, experiments. T. P. Dykstra and W. C. Whitaker 319-334
Potatoes, proteolytic activity in relation to blackening after cooking. A. Frank Ross and W. E. Tottingham 433-441
Preservation, effect upon hydrocyanic acid content of plants, experiments 87-105
Preservatives, miscellaneous, effect on cyanogenetic plants, analysis 89-90, 104-105
Protein—
extract from soybeans, use in food, study. Sybil Woodruff, Evelyn Chambers, and Helen Klaas 737-746
nitrogen, content of feedstuffs, determination 486
substance in soybean—
extraction methods 738-741
physical properties 741-745
Proteolytic activity of potatoes, relation to blackening after cooking. A. Frank Ross and W. E. Tottingham 433-441
Pullets, Rhode Island Red—
clutches, time interval between. F. A. Hays 575-581
egg production, relation to time interval between clutches, studies 575-581
interval between clutches in winter as related to—
hatching-season egg weight and hatchability 579
persistency and annual production 580
size of winter clutch, studies 578
winter egg production, studies 578-579
relation between monthly interval between clutches and monthly interval between eggs, studies 577

Quartz sand, effect on toxicity of sodium selenate to millet, yields, experiments 2-14
QUINBY, J. R., and STEPHENS, J. C.: Linkage of the Q B Gs Group in Sorghum 747-757

Rabbits—
feeding sweetclover to, experiments 146-153
susceptibility to coumarin-treated alfalfa, experiments 149-153
RADER, LEWIS F., JR., and HILL, W. L.: Determination and Occurrence of Boron in Natural Phosphates, Superphosphates, and Defluorinated Phosphate Rocks 901-916

Page

Radish mosaic virus, comparison with cabbage black ring virus 941-942
Raspberry—
aphids, vector in transmission of raspberry mosaic 623-632
red—
crown gall and contiguous tissues, physiological studies 546-553
crown galls, and contiguous tissue, chemical composition 546-552
hybrids, resistance to mosaic infection by *Amphorophora rubi*, experiments 604, 630-632
mosaic virus, spread by *Amphorophora rubi*, experiments 624-632
resistance to mosaic vector *Amphorophora rubi* Kalt. Glenn A. Huber and C. D. Schwartze 623-633
varietal resistance to mosaic infection by *Amphorophora rubi*, experiments 626-630, 631-632
varieties, resistance to mosaic infection by *Amphorophora rubi*, experiments 624-630
Ration, dairy, roughage in, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves 513-528
Rations—
livestock, metabolizable energy, determination 507-511
mixed—
digestible nutrients and metabolizable energy. F. W. Christensen and T. H. Hopper 477-512
for livestock, digestibility 493
REES, LOUIS W., and BUCKMAN, STANLEY J.: Moisture Movement in Wood Above the Fiber-Saturation Point 161-187
Refrigeration of plants, effect upon hydrocyanic acid content 85-86
Respiration—
of fungus of genus *Rhizopus*. Selman A. Waksman and J. W. Foster 873-899
poisons, effect on glycolysis by *Rhizopus* pellicles, experiments 891-893, 894-897
Rhizobiosin, growth factor for rhizobium 474
Rhizobium—
growth requirements 462
trace-element requirements, applicability of nutrient-solution purification to study. Robert A. Steinberg 461-476
rifolii, growth, effect of trace elements, cultural studies 461, 462-469, 473-475
Rhizopus—
genus of fungus, respiration and lactic acid production. Selman A. Waksman and J. W. Foster 873-899
glycolysis, effects of respiration poisons, experiments 891-893, 894-897
growth—
effect on production of lactic acid 876-887
formation of intermediary products. 893-894, 896
lactic acid production, factors affecting 879-893, 894-897
nutrition, investigations 873-898
Riboflavin, in certain milk products, assays. T. H. Jukes and G. A. Richardson 603-610
RICHARDSON, CHARLES H., and SEIFERLE, EDWIN J.: Toxic and Repellent Properties of Some Inorganic and Organic Compounds and Mixtures in Grasshopper Baits 423-432
RICHARDSON, G. A., and JUKES, T. H.: Assays of Riboflavin and the Filtrate Factor in Certain Milk Products 603-610
RIKER, A. J.—
LOCKE, S. B., and DUGGAR, B. M.: Growth Substance and the Development of Crown Gall 21-39
NAGY, R., and PETERSON, W. H.: Some Physiological Studies of Crown Gall and Contiguous Tissue 545-555
Roasts, beef and pork, cooking, effect of exterior temperature upon 865-871
Rocks, defluorinated phosphate, boron in, determination and occurrence. Lewis F. Rader, Jr., and W. L. Hill 901-916

Page

Root knot, resistance in beans and cowpeas in seedling stage, determination method. Keith C. Barron 363-370
Roots, of bearing pecan trees, carbohydrate and nitrogen content, seasonal variations. C. L. Smith and J. G. Waugh 449-460
ROSS, A. FRANK, and TOTTINGHAM, W. E.: Proteolytic Activity in Relation to the Blackening of Potatoes After Cooking 433-441
Rotenone, biological disposition after ingestion by southern armyworm. P. A. Woke 707-712
Roughage in dairy ration, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves 513-528

Saccharum spontaneum, flowering, inhibition, effect of length of day, experiments 775-776, 782, 788
Salts—
neutral, of sodium and calcium, effect on carbon and nitrogen of soils. V. P. Sokoloff 203-216
of certain organic acids, solubility of casein in, and its fractionation by means of these acids. Ralph H. McKee and Stephen P. Gould 125-143
Sand-soil mixtures, effects on toxicity of sodium selenate to millet yields 2-7
Sapwood, moisture movement above fiber-saturation point, experiments 161-185
SATORIUS, MARY J., and CHILD, ALICE M.: Effect of Exterior Temperature Upon Press Fluid, Shear Force, and Cooking Losses of Roasted Beef and Pork Muscles 865-871
SCHAEFER, CARL W.: Physiological Conditions Which Produce Wing Development in the Pea Aphid 825-841
SCHWARTZE, C. D., and HUBER, GLENN A.: Resistance in the Red Raspberry to the Mosiac Vector *Amphorophora rubi* Kalt 623-633
Scolytus—
in white fir, association with brown-staining fungi, further investigations. Ernest Wright 759-773
praeceps, habits and description 759-760
spp., habits and description 759-760
spp., vectors of *Spicaria anomala*, extent of activity 763-764
subcaber, habits and description 760
ventralis, habits and description 759-760
SEIFERLE, EDWIN J., and RICHARDSON, CHARLES H.: Toxic and Repellent Properties of Some Inorganic and Organic Compounds and Mixtures in Grasshopper Baits 423-432
Selenium—
content of millet plants, determination, experiments 14-17
toxicity to millet, effect of soil colloids and whole soils, study 1-19
Septogloeum athrix comb. nov., relationship to *Mastigosporium album* var. *athrix* 298
Shasta Experimental Forest, surface fires, spread in ponderosa pine, experiments 241-266
Sheep—
feeding experiments 477-512
metabolism trials with silages, hays, and mixed rations 479-480
SHINN, LEO A., WISEMAN, HERBERT G., KANE, EDWARD A., and CARY, C. A.: The Carotene Content of Market Hays and Corn Silage 635-669
Silage—
corn, carotene content—
Herbert G. Wiseman, Edward A. Kane, Leo A. Shinn, and C. A. Cary 635-669
determination 661-666
in dairy ration, color and carotene content, relation to color, carotene content, and vitamin A activity of butterfat 513-526
Silages—
chemical composition 483-487
digestibility, experiments 487-492

Silages—Continued. Page
digestible nutrients and metabolizable energy. F. W. Christensen and T. H. Hopper 477–512
SIMONDS, AUSTIN O.: The Anatomical Development of *Lepidium draba* 917–928
Simulium nigroparvum—
alimentary tract, histology 446–447
blackfly, digestive tract, morphology. James A. Cox 443–448
gross anatomy 443–445
transmission of blood protozoan disease of turkeys 443
SMITH, C. L., and WAUGH, J. G.: Seasonal Variations in the Carbohydrate and Nitrogen Content of Roots of Bearing Pecan Trees 449–460
SMITH, OLIVER F.: Host-Parasite Relations in Red Clover Plants Resistant and Susceptible to Powdery Mildew, *Erysiphe polygoni* 671–682
SMITH, WILLIAM K., and BRINK, R. A.: Relation of Bitterness to the Toxic Principle in Sweetclover 145–154
Sodium—
benzenesulphonate solutions—
solubility of casein, determination 131, 139–141
use in fractionation of casein, experiments 133–137, 140–141
cymenesulphonate—
recrystallized, solutions of, solubility of casein in, determination 129–130, 139–141
sclutions, use in fractionation of casein, experiments 138–139, 140–141
fluoride, influence on glycolysis by *Rhizopus* 891–892
neutral salts, effect on carbon and nitrogen of soils. V. P. Sokoloff 201–216
nitrate treatment of potato plants, effects, foliar diagnosis 398–414
selenate, toxicity to millet, effect of different soil colloids and whole soils on. Philip L. Gile, Hubert W. Lakin, and Horace G. Byers 1–20
Softwood, moisture movement above fiber-saturation point, experiments 161–185
Soil—
colloids, effect on toxicity of sodium selenate to millet. Philip L. Gile, Hubert W. Lakin, and Horace G. Byers 1–20
conditions in forest nurseries, adjustment problems 948–951
fertility standards for growing northern conifers in forest nurseries. S. A. Wilde 945–952
inoculation with tissue from root knot galls of bean, lima bean, and tomato 364–366
organic matter, conservation, effect of neutral salts, experiments 201–215
temperature—
effect upon root knot resistance in beans and cowpeas 364
relation to chlorosis of gardenia. Linus H. Jones 611–621
type, relation to migration of horse strongyle larvae to the surface 339–342, 347
Soils—
carbon content, effect of neutral salts of sodium and calcium. V. P. Sokoloff 201–216
feces buried in, infective horse strongyle larvae developing in, vertical migration, distribution, and survival. John T. Lucker 335–348
nitrogen content, effect of neutral salts of sodium and calcium. V. P. Sokoloff 201–216
virgin forest, nutrient content and associated conditions for growing northern conifers 945–948
whole, effect on toxicity of sodium selenate to millet. Philip L. Gile, Hubert W. Lakin, and Horace G. Byers 1–20
SOKOLOFF, V. P.: Effect of Neutral Salts of Sodium and Calcium on Carbon and Nitrogen of Soils 201–216
Sorghum—
characters, description 750–752
growth curve. A. T. Bartel and J. H. Martin 843–849

Sorghum—Continued. Page
Q B Gs group, linkage. J. C. Stephens and J. R. Quinby 747–757
varieties, preservation for chemical analysis, studies 83–105
Sorghums—
awnless and awned, independent characters, studies 748–749
genetics of, linkage studies 747–755
growth rate, determination 844–846
linkage of Q B and Gs, studies 752–753
Q B Gs group with other single-factor characters in, inheritance studies 753–755
seed color characters, studies 749–750
seed size and early growth, experiments 846–849
Sorter, photoelectric, for length measurements of fibers of seed cotton. Burt Johnson 41–56
Soybean—
protein substance—
appearance and solubility experiments 741–742
in suspension, ability to foam, tests 742–744
physical properties 741–745
value as protein substitute in cookery 744–745
Soybeans, protein—
extract from, use in food, study. Sybil Woodruff, Evelyn Chambers, and Helen Klaas 737–746
extraction methods 738–741
Spicaria—
anomala—
development, comparison with that of *Trichosporium symbioticum* 765–769
development, influence of environment 769–771
identity as staining fungus of white fir 761–763
morphological characteristics 761–763
pathogenicity tests 765
spread by *Scolytus* beetles, extent 763–764
taxonomy 761
isolation from wood surrounding *Scolytus* galleries 760
SPRAGUE, RODERICK: Two Mastigosporium Leaf Spots on Gramineae 287–299
Stagonospora—
leaf spot, relation to root rot of forage legumes. Fred Reuel Jones and J. L. Weimer 791–812
meliloti—
ascigerous form on white sweetclover 808–809
Phoma stage on sweetclover, taxonomy 808, 809
synonymy 804–807
recedens n. comb., occurrence and taxonomy 807–808
root rot fungus—
morphology and development in culture 801–803
morphology and development on host plants 798–801
pathological histology and pathogenicity 794–798
taxonomy 803–809
STANTON, T. R., and COFFMAN, F. A.: Variability in Germination of Freshly Harvested *Avena* 57–72
Starch content of roots of pecan tree, seasonal variation 455–456, 458
Steers, metabolism trials with silages, hays, and mixed rations 479–480
STEINBERG, ROBERT A.—
Applicability of Nutrient-Solution Purification to the Study of Trace-Element Requirements of *Rhizobium* and *Azotobacter* 451–476
Correlation Between Biological Essentiality and Atomic Structure of the Chemical Elements 851–858
The Essentiality of Gallium to Growth and Reproduction of *Aspergillus niger* 569–574
STEPHENS, J. C., and QUINBY, J. R.: Linkage of the Q B Gs Group in Sorghum 747–757
Stock, annual, mosaic virus, comparison with cabbage black ring virus 941–942
Strawberry—
dwarf, occurrence in Massachusetts and North Carolina, study 73–80
plants, occurrence of two distinct strains of nematode *Aphelenchus fragariae* on in United States. J. R. Christie 73–80

Page

Strongyle larvae of horses developing in feces buried in different soils, vertical migration, distribution, and survival. John T. Lucker ... 335-348
Strongyles, parasitism in horses, study ... 335-347
STUMBO, CHARLES R., and GAINEY, P. L.: An Apparent Induced Loss of Nitrogen-Fixing Ability in *Azotobacter* ... 217-227
Sudan grass, preservation for chemical analysis, studies ... 83-105
Sugar beet, crown gall—
and contiguous tissue, chemical composition ... 546-552
and contiguous tissues, physiological studies ... 546-553
Sugar content of roots of pecan trees, seasonal variation ... 455, 458
Sugarcane, flowering, inhibition, effect of length of day, experiments ... 775-776, 782, 788
Sunflower silage, feeding to livestock, experiments ... 477-482, 484, 489-490, 496-497, 506-511
Superphosphate treatment of potato plants, effects, foliar diagnosis ... 398-414
Superphosphates, boron in, determination and occurrence. Lewis F. Rader, Jr., and W. L. Hill ... 901-916
Sweetclover—
bitterness, relation to toxic principle. William K. Smith and R. A. Brink ... 145-154
disease—
description ... 145-146
susceptibility of rabbits, experiments ... 146-153
Hubam, spoiled, feeding to rabbits, experiments ... 147-148, 152
silage, feeding to livestock, experiments ... 477-487, 493, 500-510
stagonospora leaf spot and root rot, cultural studies ... 791-810
stems, feeding to livestock, experiments ... 477-481, 482, 491-493
toxic principle, relation to bitterness. William K. Smith and R. A. Brink ... 145-154

Tannic acid medium, reactions of wood-decaying fungi on, differentiation. Ross W. Davidson, W. A. Campbell, and Dorothy J. Blaisdell ... 683-695
Temperature—
effect on—
development of *Trichosporium symbiolicum* and *Spicaria anomala*, tests ... 765-766
growth and lactic acid production by *Rhizopus* ... 881-882, 894-897
growth rate of apple ... 110, 113, 116-119, 122
hydrocyanic acid in stored plants, experiments ... 85-86
root knot resistance in beans and cowpeas ... 364
environmental, effect on mortality, rate of growth, and utilization of food energy in White Leghorn chicks. C. F. Winchester and M. Kleiber ... 529-544
exterior, effect upon press fluid, shear force, and cooking losses of roasted beef and pork muscles. Alice M. Child and Mary J. Satorius ... 865-871
soil, relation to chlorosis of gardenia. Linus H. Jones ... 611-621
Tetrastichus—
sp. "Y", adult, comparison with adult of *T. xanthomelaenae* ... 862
xanthomelaenae and *Tetrastichus* sp., hymenopterous egg parasite of elm leaf beetle, laboratory studies. P. A. Berry ... 859-863
Thallous sulphate, feeding to grasshoppers, results ... 426, 427-428
Thelephoraceae, wood-destroying, reactions on gallic and tannic media ... 686
Thespesia spp., leaf and stem anatomy, investigations ... 270-283
THOMAS, H. REX, TOMPKINS, C. M., and GARDNER, M. W.: Black Ring, a Virus Disease of Cabbage and Other Crucifers ... 929-943
THOMAS, WALTER, and MACK, WARREN B.: Foliar Diagnosis in Relation to Development and Fertilizer Treatment of the Potato ... 397-414

Page

Timber—
stands, variability, analysis ... 718-735
surveys, sampling, error in. A. A. Hasel ... 713-736
Time—
element, in spread of fire in ponderosa pine stands, tests ... 241, 242-243, 247-249, 254-256, 260-266
interval between clutches in Rhode Island Red pullets. F. A. Hays ... 575-581
Tiphia popilliavora—
life cycle ... 380
population—
and sex, influence of Japanese beetle instar on. M. H. Brunson ... 379-386
effect of Japanese beetle abundance and instars ... 384, 385-386
effect of periodic fluctuation in number of third-instar hosts ... 384-386
preference for instar of host larvae for oviposition ... 380, 381, 385
progeny, sex of, relation to host instars ... 381-383, 385
rearing methods ... 380
Toluene, effect on hydrocyanic acid content of plants, experiments ... 89-90
Tomato—
cambial stimulation by inoculations of crown gall, experiments ... 27-29
crown gall and contiguous tissue—
chemical composition ... 546-552
growth substance, role in development of crown gall, experiments ... 23-35
physiological studies ... 546-553
stems, inoculation with beta-indole-acetic acid, experiments ... 34-35
tissue inoculated with crown gall bacteria, determination of growth substance in ... 32
TOMPKINS, C. M.—
A Mosaic Disease of Turnip ... 589-602
GARDNER, M. W., and THOMAS, H. REX: Black Ring, a Virus Disease of Cabbage and Other Crucifers ... 929-943
TOTTINGHAM, W. E., and ROSS, A. FRANK: Proteolytic Activity in Relation to the Blackening of Potatoes After Cooking ... 433-441
Trace-element—
requirements of—
Aspergillus niger, tests ... 569-573
rhizobium and azotobacter, applicability of nutrient-solution purification to study. Robert A. Steinberg ... 461-476
See also Metals, heavy.
Trichosporium symbioticum—
development—
comparison with that of *Spicaria anomala* ... 765-769
influence of environment ... 769-771
isolation from wood surrounding *Scolytus* galleries ... 760-761
rate of stain, comparison with *Spicaria anomala*, tests ... 759, 760, 763, 764, 765-771
Trifolium spp., stagonospora leaf spot and root rot fungi, cultural studies ... 791-810
Tryptophane in blackening cooked potatoes, study ... 435, 436, 438, 439
Turnip mosaic—
disease—
C. M. Tompkins ... 589-602
symptoms ... 591-593
virus—
comparison with cabbage black ring virus ... 941-942
experimental host range ... 594-597, 600
from New York, comparison with other crucifer viruses ... 598-599
from New York, description ... 598
properties and description ... 597-598
transmission by aphids, experiments ... 593-594
Tyrosinase activity in crown galls and contiguous tissue of tomato, sugar beet, and red raspberry ... 551, 552-553
Tyrosine, in blackening cooked potatoes, study ... 435, 436, 438, 439-440

United States, strawberry plants, two distinct strains of the nematode *Aphelenchoides fragariae* occurring in. J. R. Christie ... 73-80

Page

Vapor, movement in wood blocks, experiments 179–183
Vectors, transmission of potato viruses, experiments. T. P. Dykstra and W. C. Whitaker 319–334
VERNER, LEIF: Histology of Apple Fruit Tissue in Relation to Cracking 813–824
Viruses. *See* under specific kinds.
Vitamin A—
activity of butterfat, relation to color and carotene content of roughage in dairy ration. R. E. Hodgson, J. C. Knott, H. K. Murer, and R. R. Graves 513–528
in cattle feeds, relation to carotene content, experiments 635–666
value of butterfat, determination 514, 515–516, 522–525
Vitamin D potency of stemmy and leafy portions of alfalfa hay, comparison. G. C. Wallis 393–396

WAKSMAN, SELMAN A., and FOSTER, J. W.: Respiration and Lactic Acid Production by a Fungus of the Genus *Rhizopus* 873–899
WALLIS, G. C.: A Comparison of the Vitamin D Potency of the Stemmy and Leafy Portions of Alfalfa Hay 393–396
Washington, Wenatchee Valley, growth rate of Winesap apples, studies 109–123
WAUGH, J. G., and SMITH, C. L.: Seasonal Variations in the Carbohydrate and Nitrogen Content of Roots of Bearing Pecan Trees 449–460
WEBBER, IRMA E.: Anatomy of the Leaf and Stem of *Gossypium* 269–286
WEBBER, J. M.: Cytology of Twin Cotton Plants 155–160
WEIMER, J. L., and JONES, FRED REUEL: Stagonospora Leaf Spot and Root Rot of Forage Legumes 791–812
Wheat—
germination variability when freshly harvested. F. A. Coffman and T. R. Stanton 57–72
plants, tolerance to sodium selenate, effects of soils 17
WHITAKER, W. C., and DYKSTRA, T. P.: Experiments on the Transmission of Potato Viruses by Vectors 319–334
WILDE, S. A.: Soil-Fertility Standards for Growing Northern Conifers in Forest Nurseries 945–952
WINCHESTER, C. F., and KLEIBER, M.: The Effect of Environmental Temperature on Mortality, Rate of Growth, and Utilization of Food Energy in White Leghorn Chicks 529–544

Page

Wind velocity, effect on spread of fire in ponderosa pine stands, tests 241, 242, 243, 245–252, 254–256, 260–266
Wireworm—
body, entrance of arsenic, discussion of method 236–237
Pacific coast, prevention of entrance of undesirable substances into digestive tract 235
Wireworms, reactions to—
arsenical solutions, tests 231, 233–235, 236
arsenicals, Charles E. Woodworth 229–238
cornstarch pellets containing—
arsenicals, tests 229–230, 231–232, 235
nonarsenicals, tests 230, 233
WISEMAN, HERBERT G., KANE, EDWARD A., SHINN, LEO A., and CARY, C. A.: The Carotene Content of Market Hays and Corn Silage 635–669
WOKE, P. A.: The Biological Disposition of Rotenone After Ingestion by the Southern Armyworm 707–712
Wood—
blocks—
evaporation rate, studies 175–177
moisture loss, rate, studies 165–174, 177, 178, 180
water-pressure movement, rates 178, 179
combustion, theoretical aspects 249–250
decaying fungi, differentiation by their reactions on gallic or tannic acid medium. Ross W. Davidson, W. A. Campbell, and Dorothy J. Blaisdell 683–695
moisture movement—
above fiber-saturation point. Louis W. Rees and Stanley J. Buckman 161–187
factors influencing by different mechanisms 174–175
WOODRUFF, SYBIL, CHAMBERS, EVELYN, and KLAAS, HELEN: A Study of Protein Extract From Soybeans With Reference to Its Use in Food 737–746
Woods, moisture movement to surface, methods and rates 177, 179–183
WOODWORTH, CHARLES E.: The Reactions of Wireworms to Arsenicals 229–238
WRIGHT, ERNEST: Further Investigations of Brown-Staining Fungi Associated With Engraver Beetles (*Scolytus*) in White Fir 759–773

Zinc—
arsenite, feeding to grasshoppers, results 426, 427–428, 429
influence on growth of and lactic acid production by *Rhizopus*, experiments 883–887, 896–897
phosphide, feeding to grasshoppers, results 426, 427–428